



VERIFICATION AND APPROVAL OF GENERAL ARRANGEMENT AND OVERALL DIMENSIONS OF THIS DOCUMENT ARE REQUIRED BEFORE THE ORDER IS ENTERED FOR MANUFACTURING.

APPROVAL SIGNATURE _____

TITLE HELD _____ DATE OF APPROVAL _____

NON-INSULATED FIRE-RATED ACCESS DOORS

MATERIAL SCHEDULE			
QUANTITY	SIZE	COVER	FRAME
		20 GA.	16 GA.

MILCOR

NON INSULATED FIRE RATED DOORS for WALLS ONLY

DEALER	
PROJECT	
LOCATION	
ARCH.	
CONT'D	
DATE	DRAWN JM
REV	JOB NO.
	SHEET

STANDARD SIZES and PRODUCT NUMBERS

DOOR SIZE	FRAMED OPENING	PRODUCT NUMBER	No. PADDLE LATCHES	MASONRY ANCHORS
8 X 8	8-1/2 X 8-1/2	3219-008-9	1	4
12 X 12	12-1/2 X 12-1/2	3219-012-9	1	4
14 X 14	14-1/2 X 14-1/2	3219-014-9	1	4
16 X 16	16-1/2 X 16-1/2	3219-016-9	1	4
18 X 18	18-1/2 X 18-1/2	3219-018-9	1	4
24 X 24	24-1/2 X 24-1/2	3219-024-9	1	4
22 X 30	22-1/2 X 30-1/2	3219-023-9	1	4
22 X 36	22-1/2 X 36-1/2	3219-027-9	1	4

- NOTES: 1. FOR WALL APPLICATION ONLY
 2. FOR USE WHERE TEMPERATURE RISE IS NOT AN ISSUE
 3. U.L. & C.U.L. 1-1/2 HOUR CLASS B FIRE RATING.
 4. POWDER COATED GRAY