

DESCRIPTION

The AP-DR Gypsum Access Panels manufactured by Wind-lock® are designed to be an attractive alternative to typical access panels in commercial and residential buildings. These panels can be used in ceilings and walls. Their glass-fiber-reinforced-gypsum (GFRG) based construction can't rust and blends seamlessly with new or retrofitted drywall ceilings and walls. The design of the stealth, drop-in access panel ensures that your aesthetic style is noticed and not your access panels.

FEATURES

- Aesthetic Excellence
- Durability and Longevity
- Unobtrusive Design
- Versatility

SPECIFICATIONS

MATERIAL: Glass-fiber-reinforced gypsum (GFRG).

FINISH: Primed for paint, allowing you to customize it to your space.

INSTALLATION: Drop-in design for seamless integration.

SIZES: Available in various standard dimensions.


LOCKING MECHANISM: Options for concealed or exposed locks.

APPLICATION: Suitable for both new construction and retrofit projects.

DESCRIPTION: Stealth Ceiling Drop-In Panel.

ITEM CATEGORY CODE: Stealth Ceiling Drop-in.

SKU: **AP-DR**
GYP SUM ACCESS PANEL





DIMENSIONS AND APPEARANCE

>> CLICK TO VIEW ADDITIONAL DETAILS AND PRICING <<

STANDARD SIZES:

PART CODE	CORNER TYPE	ACCESS OPENING	ROUGH OPENING *	APPROX. WEIGHT
AP-DR0909	RADIUS	9IN. x 9IN.	15IN. x 15IN.	6lbs
AP-DR1212	RADIUS	12IN. x 12IN.	18IN. x 18IN.	9lbs
AP-DR1616	RADIUS	16IN. x 16IN.	22IN. x 22IN.	10lbs
AP-DR1818	RADIUS	18IN. x 18IN.	24IN. x 24IN.	11lbs
AP-DR2424	RADIUS	24IN. x 24IN.	30IN. x 30IN.	16lbs
AP-DR3636	RADIUS	36IN. x 36IN.	42IN. x 42IN.	31lbs

Rough opening is door size + 1/4 inch minimum. Additional sizes available, call for more information.





For detailed specifications see submittal sheet

For a complete list of options visit
www.AccessDoorsAndPanels.com

PROJECT DATA

Custom Sizes Available - Fast!

Scan  or  Click



To view Pricing and
Additional Product Info.

PROJECT NAME :	QTY	W	H	OPTIONS
ARCHITECT :				
DEALER :				
CONTRACTOR :				
LOCATION :	SPECIAL INSTRUCTIONS :			
DATE :				
TAGGING INSTRUCTIONS :	SUBMITTAL APPROVAL : (signature or stamp)			


TELEPHONE:
1-888-457-1275
FAX:
1-888-626-2907



PO BOX 66738 #76520,
SAINT LOUIS, MO
63166-6738
USA





WEBSITE:
www.AccessDoorsAndPanels.com
E-MAIL:
info@AccessDoorsAndPanels.com





AP-DR-1212



STEALTH CEILING DROP-IN PANEL ACCESS OPENING





AP-DR-1616



STEALTH CEILING DROP-IN PANEL ACCESS OPENING





AP-DR-1818



STEALTH CEILING DROP-IN PANEL ACCESS OPENING





AP-DR-2424

STEALTH CEILING DROP-IN PANEL ACCESS OPENING





AP-DR-3636

STEALTH CEILING DROP-IN PANEL ACCESS OPENING

