

# SUBMITTAL/TECHNICAL DATA SHEET

## DESCRIPTION

Hinged Gypsum Access Panel are designed to be an attractive alternative to typical access panels in commercial and residential buildings. Their glass-fiber-reinforced-gypsum (GFRG) based construction can't rust and blends seamlessly with new or retrofitted drywall ceilings and walls. The design of the stealth access panel ensures that your aesthetic style is noticed and not your access panels.

### **FEATURES**

- Aesthetic Excellence
- · Durability and Longevity
- Unobtrusive Design
- Versatility

# SPECIFICATIONS

MATERIAL: Glass-fiber-reinforced gypsum (GFRG).

FINISH: Primed for paint, allowing you to customize it to your space.

**INSTALLATION:** Drop-in design for seamless integration.

SIZES: Available in various standard dimensions.

LOCKING MECHANISM: Options for concealed or exposed locks.

**APPLICATION:** Suitable for both new construction and retrofit projects.

**DESCRIPTION: Stealth Hinged Panel** with Key-Latch.

ITEM CATEGORY CODE: Stealth Ceiling

BASE UNIT OF MEASURE: Each

For a complete list of options visit www.AccessDoorsAndPanels.com



To view Pricing and Additional Product Info.


# SKU: **AP-HRK** HINGED GYPSUM ACCESS Panel for ceiling or wall



# DIMENSIONS AND APPEARANCE


#### STANDARD SIZES

OTANDARD OLEG.								
PART CODE	CORNER TYPE	ACCESS OPENING	ROUGH OPENING *	APPROX. WEIGHT				
AP-HRK0909	RADIUS	9IN. x 9IN.	15IN. x 15IN.	6lbs	1			
AP-HRK1212	RADIUS	12IN. x 12IN.	18IN. x 18IN.	9lbs				
AP-HRK1616	RADIUS	16IN. x 16IN.	22IN. x 22IN.	10lbs				
AP-HRK1818	RADIUS	18IN. x 18IN.	24IN. x 24IN.	11lbs	С			
AP-HRK2424	RADIUS	24IN. x 24IN.	30IN. x 30IN.	16lbs				



>> CLICK TO VIEW ADDITIONAL DETAILS AND PRICING <<

\*Rough Opening is from Outside of Frame to Outside of Frame



# DRO IFCT DATA

PROJECT DATA			Custom Sizes Available - Fast!			
PROJECT NAME :	QTY	w	Н	OPTIONS		
ARCHITECT :						
DEALER :						
CONTRACTOR :						
LOCATION :	SPECIAL INSTRUCTIONS :					
DATE :						
TAGGING INSTRUCTIONS :	SUBMITTAL APPROVAL : (signature or stamp)					







WEBSITE: www.AccessDoorsAndPanels.com

E-MAIL: info@AccessDoorsAndPanels.com


# For detailed specifications see submittal sheet




TELEPHONE: 1-888-457-1275 ▶ FAX: 1-888-626-2907

PO BOX 66738 #76520, SAINT LOUIS, MO 63166-6738 USA WEBSITE: www.AccessDoorsAndPanels.com E-MAIL: info@AccessDoorsAndP<u>anels.com</u>

# AP-HRK 0909 STEALTH HINGED PANEL WITH KEY-LATCH











TELEPHONE: 1-888-457-1275 ► FAX: 1-888-626-2907

PO BOX 66738 #76520, SAINT LOUIS, MO 63166-6738 USA WEBSITE: www.AccessDoorsAndPanels.com E-MAIL: info@AccessDoorsAndP<u>anels.com</u>

# AP-HRKSTEALTH HINGED PANEL1212WITH KEY-LATCH



#### FOR MORE INFORMATION REFER TO STEALTH SHOP DRAWING AP-HRK1212






TELEPHONE: 1-888-457-1275 FAX: 1-888-626-2907




WEBSITE: www.AccessDoorsAndPanels.com E-MAIL: info@AccessDoorsAndP<u>anels.com</u>












TELEPHONE: 1-888-457-1275 ► FAX: 1-888-626-2907




WEBSITE: www.AccessDoorsAndPanels.com E-MAIL: info@AccessDoorsAndP<u>anels.com</u>











TELEPHONE: 1-888-457-1275 FAX: 1-888-626-2907



WEBSITE: www.AccessDoorsAndPanels.com E-MAIL: info@AccessDoorsAndP<u>anels.com</u>



